#### VIRTUAL

# World NEN Lives 2020 Congress Program September 23—24, 2020


#### Nicola Fazio

Division of gastrointestinal medical oncology and neuroendocrine tumors European Institute of Oncology Milan, Italy

## «If you have a NEN you will never receive a chemotherapy»



#### FDA/EMA approved therapies for patients with advanced GEP NETs



#### Neuroendocrine neoplasms: NEN


Well (moderately)
differentiated
or
Low / intermediate grade
or
≤ 20% Ki-67

Tumours NET


Poorly differentiated or High grade or > 20% Ki-67

Carcinomas NEC


#### **Neuroendocrine tumors (NET)**



#### **Neuroendocrine carcinomas (NEC)**




#### Metastatic G2 SSTR-2 + small bowel NET





#### **Metastatic G2 SSTR-2 + pancreatic NET**





## «If you have a NET you will never receive a chemotherapy»






### Chemotherapy for NECs

- Cisplatin or Carboplatin
- + Etoposide or Irinotecan

### Chemotherapy for NETs

- Intravenous or oral
- Conventional or metronomic schedule

## Different schedules of chemotherapy



#### Different schedules of metronomic chemotherapy

Oral daily (e.g. CTX, capecitabine, UFT)

MMM

I.V. weekly
(e.g. taxanes, antracyclines)

I.V. protracted continuous infusion (e.g. 5-FU)

#### Locally advanced NEC

- Upfront radical surgical removal
- Neo-adjuvant chemo+/-radiotherapy
- Adjuvant chemo+/-radiotherapy

#### Concluding remarks

- Chemotherapy and radiotherapy are part of the therapeutic options for a NEN patient
- Their goal can be «curative» or, more commonly, «palliative»
- Metronomic chemo may be a good option for asymptomatic patients with indolent disease, but evidence should be improved
- Radiotherapy is more frequently indicated for high-grade NEN

## **European Institute of Oncology, IRCCS, IEO, ENETS CoE**





IEO NEN MDT

